



780 Professional Drive N. Shreveport, LA 71105 Phone (318)-524-2270 Fax (318)-524-2297

Thank You for Purchasing a High Lifter Sway Bar Link Kit



Please check out our other product lines:

- ▶ ***Big Lifts***
 - ▶ ***Control Arms***
 - ▶ ***Trailing Arms***
 - ▶ ***Snorkels***
 - ▶ ***Radiator Relocation Kits***
- and many more...***

Follow Us:

-  ***@ HighLifterATV***
-  ***@highlifter***
-  ***@HighLifter***
-  ***@highlifterinc***



Need Help? Contact Us

Mon-Fri 8am - 5pm CST

- ▶ ***sales@highlifter.com***
- ▶ ***800-699-0947***

PARTS DIAGRAM



INSTALLATION INSTRUCTIONS

(LH) - LEFT HAND (RH) - RIGHT HAND


1. First, you need to preassemble the new heavy duty High Lifter sway bar link.
2. If not already done, fasten the jam nuts onto the heim joints. One heim is (LH) and will use a (LH) jam nut. The other is a (RH) heim that will use a (RH) jam nut.




3. On the side of the link with the scribe line, you will insert and fasten the (LH) threaded heim joint. On the other side of the link without a scribe line, you will insert and fasten the (RH) threaded heim joint.
NOTE: For the factory setting, measure the factory sway bar link, and then set the new High Lifter sway bar link to the same length.





4. Next, insert a heim alignment cone into both sides of each heim joint.



5. Disconnect and remove the factory sway bar link.
[THE FOLLOWING STEPS TAKE PLACE ON THE REAR PASSENGER SIDE]



6. Using your factory hardware, attach the new sway bar link to the sway bar.
a. If you are using a factory setup and factory trailing arms, you will reattach the link to the **INSIDE** of the **sway bar**.
b. If you are using an aftermarket setup and aftermarket trailing arms, you will need to attach the sway bar link to the **OUTSIDE** of the **sway bar**.



- c. Once you have determined the correct position that fits with your setup, adjust & fasten the heims & jam nuts accordingly to the correct length.

NOTE: For the factory setting, measure the factory sway bar link, and then set the new High Lifter sway bar link to the same length.



Thank You
For Choosing
HIGHLIFTER

High Lifter Products
780 Professional Drive North • Shreveport, Louisiana • 71105
1.800.699.0947
www.HighLifter.com

High Lifter Sway Bar Link Kit Warranty Program

Thank you for purchasing a High Lifter Products Sway Bar Link Kit. Our kits have been engineered to provide superior performance on your UTV.

LIMITED LIFETIME WARRANTY:

HIGH LIFTER PRODUCTS, INC. warrants to the **ORIGINAL** purchaser of any sway bar link kit for a lifetime of protection from the date of purchase against defects in materials or workmanship, subject to the following conditions:

- a) The product is properly installed according to all directions.
- b) **HIGH LIFTER** is not liable for any incidental or consequential damages to anything other than the sway bar link kit covered by this warranty. **HIGH LIFTER** is not liable for any incurred expenses, labor costs to install/remove/reinstall sway bar link kit or any OEM or aftermarket components, loss of use of machine, damage to links, or damage to any aftermarket accessory or OEM components.
- c) If the sway bar link kit has been disassembled or modified by a third party, the warranty is null and void.
- d) Any sway bar link damaged in a collision with any object is excluded from this warranty. However, the kit may be refurbished for a fee upon repair authorization by the owner.
- e) Warranty is non-transferable from the **ORIGINAL** purchaser.
- f) **HIGH LIFTER** reserves the right to inspect the kit for determining if there were any defects in the installation and to determine the validity of any warranty claim. The warranty process may require the **ORIGINAL** purchaser to provide photographs of the UTV and its installed kit.
- g) Items that will not be covered under the warranty are but not limited to: Heim Joints, Alignment Spacers, and Jam Nuts. All other components in kit are subject to review by High Lifter to determine reason for failure and if it meets requirements for warranty coverage.
- h) Warranty will be void on products that show; misapplication, improper installation, abuse, lack of proper maintenance, negligence, or alteration from original design.
- i) The finish/chrome plating/ and other cosmetic issues are not covered under the limited lifetime warranty.

REFUSED SHIPMENTS/ORDER CANCELLATION:

Refused shipments are subject to a 20% restocking fee plus all associated freight costs. It is our goal to ship all orders in a timely manner. If a customer wishes to cancel an order (provided it is not a special-order product), it is the responsibility of the customer to cancel the order prior to the product being shipped. If a customer cancels an order after product has been shipped, the refused shipment, cancellation, or return will be subject to a 20% restocking fee and any freight charges incurred. For orders outside the United States, any fees associated with customs or duties are non-refundable.

DAMAGED SHIPMENTS:

All claims for damaged shipments must be made within 72 hours of delivery to the point of destination. Any damage to package should be noted with carrier at the time of delivery if possible. We will not be responsible for damage claims made over 72 hours after delivery to the point of destination.

OBTAINING A WARRANTY CLAIM:

All returns for warranty must be pre-approved by calling 1.800.699.0947. After warranty approval has been granted and a Return Merchandise Approval (RMA) number issued, the kit must be received by **HIGH LIFTER PRODUCTS** within 15 calendar days. The RMA number must be clearly displayed on the return box or the return will be refused. An RMA number does not imply that a replacement or refund will be issued on any product, but only that we will inspect the kit for warranty claims. For orders outside the United States, any freight or fees associated with customs and duties are the responsibility of the purchaser and are non-refundable. All claims must be accompanied by the sales receipt detailing date and place of purchase, a written explanation of the problem, a phone number, and e-mail address. A copy of this receipt must be included with the kit submitted for warranty repair or replacement. The purchaser is responsible for any freight charges on all warranty claims, including incoming freight to High Lifter and return freight to the purchaser.